# SHENGYU XINGDA ALUMINIUM

Win great reputation on integrity and quality

| No.        | Drawing                                 | Thickness | Weight<br>KG/M | No.      | Drawing | Thickness | Weight<br>KG/M |
|------------|---|-----------|----------------|----------|---------|-----------|----------------|
| B79159     | 25,4                                    | 0.85      | 0. 227         | C8142M   | 8: 30,5 | 0.8       | 0. 22          |
| C8142MPT   | 30,5                                    | 0.8       | 0. 221         | C8148    | 19,5    | 0.8       | 0.107          |
| C82390T    | 41                                      | 1.0       | 0. 365         | C82391TA | 34,7    | 0.85      | 0. 501         |
| C82391TAPT | 34,7                                    | 0.85      | 0. 503         | C83161A  | 48,5    | 0.9       | 0.396          |
| C83161APT  | 48,5                                    | 0.9       | 0. 398         | C91004TB | 70      | 1.0       | 0. 577         |
| C91007     | ₩ W W W W W W W W W W W W W W W W W W W | 1.0       | 0. 524         | E79160C  | 50,8    | 0.85      | 0. 345         |

# ZL.

# SHENGYU XINGDA ALUMINIUM

Win great reputation on integrity and quality

|           | <u> </u>  |              |                |          | aroografy and quarre  |           |                |
|-----------|---|--------------|----------------|----------|-----------------------|-----------|----------------|
| No.       | Drawing   | Thickness MM | Weight<br>KG/M | No.      | Drawing               | Thickness | Weight<br>KG/M |
| E79160CPT | 50,8  | 0.85         | 0. 346         | E79161B  | 76,2<br>76,2          | 0.9       | 0.489          |
| E81126    | 35.15   | 0.9          | 0.4            | E81130   | 8,15                  | 0.9       | 0.302          |
| E81151C   | 31,8  | 1.0          | 0. 229         | E82406   | 38,1                  | 0.8       | 0. 27          |
| E83144T   | 14,5  | 0.8          | 0. 088         | FC83161L | 72,3                  | 0.8       | 0.51           |
| GYHNC04T  | \$7,95<br>\$8   | 1.3          | 0. 176         | GYU327A  | 2 31                  | 0.9       | 0. 247         |
| SISD004   | 87<br>\(\sigma^2 \) \(\sigma^2 \) | 1. 1         | 0.864          | SISD005  | 36<br>7<br>82<br>11.3 | 1. 1      | 0.868          |



# SHENGYU XINGDA ALUMINIUM

Win great reputation on integrity and quality

| win great reputation on integrity and quarity |  |                 |       |         |               |              |  |  |  |
|---|--|-----------------|-------|---------|---------------|--------------|--|--|--|
| No.   | Drawing                                      | ThicknessWeight | No.   | Drawing | ThicknessWeig | ght          |  |  |  |
| NO.   | Drawing                                      | MM KG/M         | NO.   | Diawing | MM KG/        | <sup>M</sup> |  |  |  |
| W2341   | 72,5   | 0. 85 0. 345    | W2342 | 22 24   | 0. 85 0. 38   | 84           |  |  |  |
| W2343   | 22,2   | 0. 85 0. 28     | W2344 | 28,58   | 0. 85 0. 33   | 39           |  |  |  |
| W2345   | 75 21 E1 | 0. 85 0. 301    |       |         |               |              |  |  |  |
|   |  |                 |       |         |               |              |  |  |  |
|   |  |                 |       |         |               |              |  |  |  |
|   |  |                 |       |         |               |              |  |  |  |